

Leading Pharmacology Journals

Publications of the American Society for Pharmacology and Experimental Therapeutics, Inc.

The Journal of Pharmacology and Experimental Therapeutics

Editor: John A. Harvey, Ph.D.

JPET is respected the world over as one of the leading research journals in the field of pharmacology. You'll find broad coverage of all aspects of the interactions of chemicals with biological systems, including autonomic, behavioral, cardiovascular, cellular, clinical, developmental, gastrointestinal, immuno-, neuro-, pulmonary, and renal pharmacology, as well as analgesics, drug abuse, metabolism and disposition, chemotherapy, and toxicology. *Monthly*.

Drug Metabolism and Disposition: the biological fate of chemicals

Editor: Raymond F. Novak, Ph.D.

Drug Metabolism and Disposition publishes experimental results from *in vitro* and *in vivo* systems that bring you significant and original information on metabolism and disposition of endogenous and exogenous compounds, including pharmacologic agents and environmental chemicals. The areas covered are: xenobiotic metabolism, expression of drug metabolizing enzymes, regulation of drug metabolizing enzyme gene expression, pharmacokinetics, pharmacodynamics and toxicological consequences of xenobiotic metabolism. *Bimonthly*.

Pharmacological Reviews


Editor: Robert E. Stitzel, Ph.D.

Pharmacological Reviews is a showcase for important review articles in your field, featuring longer papers on topics of high current interest. The areas covered in review papers have included biochemical and cellular pharmacology, drug metabolism and disposition, renal pharmacology, neuropharmacology, behavioral pharmacology, clinical pharmacology, and toxicology. No library serving the pharmacologic community should be without a subscription. *Quarterly*.

Molecular Pharmacology

Editor: T. Kendall Harden, Ph.D.

The papers published in Molecular Pharmacology are on the cutting edge of research on drug action and selective toxicity at the molecular level. Original applications of biochemistry, biophysics, genetics, and molecular biology are juxtaposed with innovative pharmacologic research to elucidate basic problems in pharmacology and toxicology, including such areas as molecular mechanisms involved in drug receptor-effector coupling, xenobiotic metabolism, and antibiotic and anticancer drug action. *Monthly*



MEMBERS:
SAVE 10% when ordering two
SAVE 15% when ordering three
SAVE 20% when ordering four



Please enter my subscription to the following:

The Journal of Pharmacology and Experimental Therapeutics (monthly)
 Individual \$190/year Institutional \$340/year (Add \$65/year for subscriptions outside the U.S.; in Canada, also add 7% GST.)
 New Subscription Renewal
Subscribe for: 3 years 2 years 1 year

Drug Metabolism and Disposition (bimonthly)
 Individual \$85/year Institutional \$140/year (Add \$20/year for subscriptions outside the U.S.; in Canada, also add 7% GST.)
 New Subscription Renewal
Subscribe for: 3 years 2 years 1 year

Molecular Pharmacology (monthly)
 Individual \$105/year Institutional \$230/year (Add \$30/year for subscriptions outside the U.S.; in Canada, also add 7% GST.)
 New Subscription Renewal
Subscribe for: 3 years 2 years 1 year

Pharmacological Reviews (quarterly)
 Individual \$60/year Institutional \$107/year In-training * \$45/year (Add \$15/year for subscriptions outside the U.S.; in Canada, also add 7% GST.)
 New Subscription Renewal
Subscribe for: 3 years 2 years 1 year
PTT 55393

Payment Options:

Check enclosed (payable to Williams & Wilkins)
 Bill me American Express
 MasterCard VISA Card # _____
Exp. date _____ Signature or P.O. # _____

Name _____

Address _____

City/State/Zip _____

* Please indicate institution/status _____

MD and PA subscribers must add state sales tax. Subscriptions outside the U.S. must be prepaid in U.S. dollars. In Japan, contact Igaku-Shoin, MYW, Ltd. (03) 5689-5400. Rates valid through October 31, 1994.

Return coupon to:
Williams & Wilkins
A WAVERLY COMPANY

P.O. Box 23291, Baltimore, MD 21203-9990

For credit card orders, call TOLL FREE:
1-800-638-6423 in the U.S. or Canada.

142255 ZPTT

PHARMACOLOGICAL REVIEWS

SUGGESTIONS TO CONTRIBUTORS

Papers to be published in *Pharmacological Reviews* are, for the most part, invited by the Editor after consideration of recommendations from the Associate Editors and other consultants and evaluation of outlines and statements of central theme submitted by the prospective authors. Others who have an interest in writing for *Pharmacological Reviews* are also encouraged to send proposals to the Editor. After submission of the manuscript, it is reviewed by three or more experts in the field and, depending on their comments, revisions may be requested.

Articles in *Pharmacological Reviews* deal mainly with the current status of the subject under review. They are to be written clearly and concisely and should be intelligible to nonspecialists, with definitions of unfamiliar technical terms and explanations of difficult or controversial points included. At the same time, the review is to be sufficiently precise and detailed to command the attention and respect of experts in the field. Selective rather than exhaustive coverage of the literature is requested. Previous reviews of the subject and of related fields should be cited. Authors are asked to be critical of methods, results, and conclusions and to challenge accepted concepts where warranted. Conflicting points of view are to be presented objectively in good perspective. Deficiencies in the field may be pointed out and avenues for further work may be indicated.

When an invitation to write a review is accepted, the author is asked to estimate the time when the manuscript will be submitted. If it becomes necessary to extend the original deadline, the author should notify the Editor immediately and set a new deadline. Authors also are requested to provide the Editor with an estimate of the length of the review article. The usual length ranges between 12 and 50 printed pages, corresponding to about 40 to 150 manuscript pages.

Diagrams, tables, and, occasionally, illustrations may be included if necessary to bring out new concepts and important relationships, or when access by the reader to original sources would be unusually difficult.

Reference works used by the Editor for definitions, usage, spelling, and punctuation are as follows:

- Webster's Ninth New Collegiate Dictionary, G. & C. Merriam Co., Springfield, 1985.
- Webster's Third New International Dictionary, G. & C. Merriam Co., Springfield, 1986.
- The Concise Oxford Dictionary, 7th ed., ed. by J. B. Sykes, Oxford University Press, Oxford, 1982.
- Dorland's Illustrated Medical Dictionary, 26th ed., ed. by J. P. Friel, W. B. Saunders, Philadelphia, 1981.
- CBE Style Manual Committee: CBE Style Manual: A Guide for Authors, Editors, and Publishers in the Biological Sciences, 5th ed., Council of Biology Editors, Inc., Bethesda, MD, 1983.
- STRUNK, W., JR., AND WHITE, E. B.: The Elements of Style, 2nd ed., Macmillan, New York, 1979.

Manuscripts to be published in *Pharmacological Reviews* must be written in the English language. For words spelled differently in current American and British usage, authors may follow either usage but are asked to do so consistently throughout the manuscript.

Manuscripts are to be typewritten, double-spaced, on white paper of good quality. The U.S.A. standard 8½- by 11-inch paper is preferred but the longer paper customarily used by authors from other countries is also acceptable. Each table is to be typed, double-spaced, on a

separate sheet of paper. Legends for figures, footnotes in the text, and references are also to begin on separate sheets, all lines double-spaced.

On first mention of an unfamiliar drug in the text of the article, it is desirable to give the official or generic (nonproprietary) name by which the drug is known in the U.S.A. or the country of origin of the manuscript. This may be followed by parentheses in which may appear official or generic names of the drug in other countries, selected familiar trade names, and the chemical name. (A diagram of the chemical structure shown in a figure often will be preferable to the spelled-out chemical name.) Example for a manuscript from the U.K.: "Thiopentone sodium, B.P. (Thiopental sodium, U.S.P.; Pentothal sodium)." Thereafter, the author may use whichever nonproprietary name is thought most suitable without giving synonyms. Similar considerations apply to non-standard abbreviations and acronyms. Standard abbreviations may be found in the CBE Style Manual or in *J. Biol. Chem.* **262**: 1-11, 1987.

Arabic numerals are used for all definite weights, measurements, percentages, and degrees of temperature. All weights, volumes, doses, etc., are to be given in metric units. Whenever possible, doses should be related to unit weight, surface area, or other standard. The concentrations of solutions may be indicated as normal, molar, or %. If percentages are used, a notation should be included to indicate whether strict percentage (w/w), % by volume (v/v), or a given weight of solute in 100 ml of solution (w/v) is intended. It is generally desirable to express quantities in units that give the closest approximation to unity, e.g., 0.5 mg and 1.5 g rather than 0.0005 g and 1500 mg. Abbreviations should conform to internationally accepted usage, viz., kg, g, mg, µg, l, ml, µl, m, cm, mm, µ, µm, Å, cm², cm³, etc. For per cent the symbol % should be used.

Illustrations should be submitted in duplicate as unmounted glossy photographic prints, no larger than 8 by 10 inches. The authors' name and address, and the number of the figure should be placed on the back of each print. Illustrations must be clear enough to permit reproduction without retouching, and legibility after reduction to single-column size (approximately 3½ inches in width). Uniform symbolism should be used for all illustrations in a manuscript. Symbols, numbers, and letters in the illustrations must be at least 1.5 mm in height after reduction to single column size. The title of each figure should appear in the legend rather than on the figure itself. Photomicrographs and electron micrographs should be labeled with a magnification calibration in micro or Angstrom units. A statement of the magnification should appear in the figure legend.

References to the literature cited are to be grouped at the end of the manuscript under the heading REFERENCES. They are to be arranged in alphabetical order. The proper order is to be determined by the following rules, which are to be applied in the sequence listed:

1. Arrange the references alphabetically according to the last name of the first author.
2. If there are two or more first authors with identical last names, arrange alphabetically according to the first authors' initials.
3. References with coauthors are to follow those by the first author alone. Arrange them alphabetically according to the first coauthors' names. If there are two or more papers with the same first two authors, arrange alphabetically according to the second coauthors' names, etc.
4. If there are two or more references by the same author, or by the same sequence of authors, arrange according to date of publication,

the earliest paper first; if the date of publication is the same, an arbitrary order is to be chosen. References to "Unpublished observations" or to a "Personal communication" may follow other references by the same author or authors. Alternatively, they may be entered in the text in parentheses and omitted from the list of references.

Authors' names are to appear in the text in parentheses. Where two or more references are cited within the parentheses, they generally are placed in chronological order. The bibliographic citations are to include names and initials of all authors, full title of the article in the original language, abbreviated name of the journal, full pagination, and year. Abbreviations for journals are to conform to those of Biosis List of Serials (from Biosciences Information Service of *Biological Abstracts*), modified by appropriate use of capital and lower case letters, accents, umlauts, and other diacritical marks.

Examples of references to books and chapters as well as to journal articles.

BACANER, M. B.: Treatment of ventricular fibrillation and other acute arrhythmias with bretylium tosylate. *Am. J. Cardiol.* **21**: 530-543, 1968.

BOJAR, H.: Quality control requirements in estrogen receptor determination. *Cancer Res. (suppl.)* **46**: 4249s-4255s, 1986.

BROWN, R. H., JR., AND NOBLE, D.: Effect of pH on ionic currents underlying pacemaker activity in cardiac Purkinje fibers. *J. Physiol. (Lond.)* **224**: 38P-39P, 1972.

BÜLBRING, E., AND TOMITA, T.: Catecholamine action on smooth muscle. *Pharmacol. Rev.* **39**: in press, 1987.

CRANFIELD, P. F.: *The Conduction of the Cardiac Impulse*, 404 pp., Futura Publishing Co., Mt. Kisco, NY, 1975.

DEGEEST, H., KESTELOOT, H., AND PIESSENS, J. L.: Secondary prevention of ischemic heart disease: a long term controlled lidoflazine study. *Acta Cardiol. Suppl.* **24**: 1, 1979.

FLECKENSTEIN, A.: Experimental heart failure due to disturbances in high-energy phosphate metabolism. *In Proceedings of the Fifth European Congress of Cardiology, Athens, Sept. 1986*, pp. 255-269, 1968.

GODFRAIND, T., EGLEME, C., AND WIBO, M.: Effects of dihydropyridines on human and animal isolated vessels. *In Proceedings of "Bayer Symposia,"* ed. by A. Fleckenstein and C. Van Bree-man, vol. IX, pp. 309-325, Springer Verlag, Berlin, 1985.

STARKE, K., AND SCHUMANN, H. J.: Wirkung von nifedipine auf die funktion der sympathischen nerven des herzens. *Arzneim-Forsch.* **23**: 193-197, 1973.

WATANABE, Y.: Effects of electrolytes and antiarrhythmic drugs on atrioventricular conduction. *In Symposium on Cardiac Arrhythmias*, ed. by E. Sandøe, E. Flensted-Jensen, and K. H. Olesen, pp. 535-558, AB Astra, Södertälje, Sweden, 1970.

After Acceptance: When an article has been accepted for publication, authors with access to Apple MacIntosh, IBM-PC, or compatible personal computers may submit the final manuscript on diskette. Software preference is XyWrite III Plus or Word Perfect version 4.2 or 5.0 with input media of 5¼ diskettes. Two hard copies must accompany the diskette. This will expedite the publication process for Williams & Wilkins.

Please note, the above word processing program is our preference. However, we can accept diskettes created from other commonly used software programs.

When submitting a final manuscript on diskette and after all required revisions have been made please include: — diskette (3½ or 5¼ inch), — 2 hard copies of the manuscript (8½ × 11) double spaced, and — the name of the software program and version, e.g., Word Perfect/4.2.

Authors of published reviews receive jointly 50 reprints free of charge.

THE EDITOR